


Getting started with




Patrick Paul <paulpatrick@gmail.com>
2006-10-12, TH8




Topics

- Capabilities
- Project Status
- Integrating FOP
- Developing documents
- Q & A




XSL

- eXtensible Stylesheet Language
- Consists of two parts
 - XSLT – Transformations
 - XSL-FO – Formatting Objects
- Apache FOP implements XSL-FO
 - A good subset of XSL-FO 1.0
 - Some elements from XSL-FO 1.1 (CR!)




Compliance

- FOP tries to be a reference implementation
- See <http://xmlgraphics.apache.org/fop/compliance.html>
- Extensions
 - General extensions (fox: prefix)
 - Output format specific extensions




Document Types

- Business documents
 - Invoices, insurance policies, letters etc.
- Reports
 - Tabular data
- Book-like documents
 - Books
 - Papers
 - DocBook




Trying to do too much?

- Conflict of interest:
 - Business docs, reports: Speed
 - Books, Papers: Quality
- XSL-FO is feature-rich but still lacking for certain tasks
- XSL-FO is no catch-all solution!




Alternatives

- CSS in simpler situations
- TeX especially for scientific docs
- Proprietary formatters
 - High-speed for business docs
 - Specialized tools: FrameMaker & Co.
- ODF (Open Document Format)
- etc. etc.




Output Formats

- Page-oriented
 - Stable: PDF, PostScript, Plain Text
 - Almost: Java2D/AWT, Print, PNG, TIFF
 - Sandbox/New: AFP/MO:DCA, PCL 5
- Flow-oriented
 - RTF (optimized for MS Word)
- FOP is extensible: your format!




Non-FO content

- fo:external-graphic
 - SVG, bitmap images (PNG, JPEG, GIF etc.)
- fo:instream-foreign-object
 - SVG (through Apache Batik)
 - Barcodes (through Barcode4J)
 - MathML (through JEuclid)
 - FOP is extensible: your format!
- Others: XMP metadata




Special Features

- PDF encryption (PDF 1.3 level only)
- PDF/A-1b (not 100% complete)
- PDF/X (coming up)
- Intermediate Format (Area Tree XML)




Project History

- FOP contributed to the ASF by James Tauber in 1999
- Famous FOP 0.20.5 in July 2003
- Batik and FOP form the XML Graphics project in October 2004
- Looong redesign phase from Oct 2001 until November 2005 with FOP 0.90alpha
- FOP 0.91beta in December 2005
- FOP 0.92beta in April 2006 (last beta)




What's new?

- Completely new layout engine
 - Layout approach borrowed from Donald Knuth (TeX)
- Improved architecture including support for flow-oriented formats
- New API!
- Much improved compliance
- Greater coverage of the FO spec




What's missing?

- Optimizations for large documents
- Floats
- Auto-table layout
- Collapsing border model
- A lot of smaller things...




Prospects

- FOP 1.0 imminent
- Important missing features are now being attacked.
- Live codebase is interesting for investments. New contributors are always welcome!!!




Integrating FOP

- Formatting Process
- Integration Approaches




Hello World in XSL-FO


```
<?xml version="1.0" encoding="UTF-8"?>
<fo:root xmlns:fo="http://www.w3.org/1999/XSL/Format">
  <fo:layout-master-set>
    <fo:simple-page-master master-name="A4"
      page-height="29.7cm" page-width="21cm"
      margin="2cm">
      <fo:region-body/>
    </fo:simple-page-master>
  </fo:layout-master-set>
  <fo:page-sequence master-reference="A4">
    <fo:flow flow-name="xsl-region-body">
      <fo:block>Hello World!</fo:block>
    </fo:flow>
  </fo:page-sequence>
</fo:root>
```



Formatting Process




FOP is only a part of the transformation chain!




How FOP works


- **Input:** XSL-FO (as a SAX stream)
- Direct conversion for flow-oriented formats
- Layout Engine (Pagination) for page-oriented formats
- **Output:** Any of the supported output formats



Data Flow inside FOP




ApacheCon




Integrating FOP

- Requirements:
 - Java Runtime Environment (1.3.1 or later)
- Usage:
 - Command-line
 - From Java (embedded)
 - Ant Task
 - Servlet
 - etc. etc.



Your Skills!


- Know your XML!
 - Namespaces are important to keep XSLT and XSL-FO apart.
- Know your XSLT and XSL-FO!
- At least some basic knowledge about Java
 - Controlling a class path (-cp)
 - Setting the VM heap size (-Xmx 256M)



Command-line

- Use in scripts
- For stylesheet development/debugging
- Slow! (Class loading, JIT, each time)
- Restricted functionality
- Easy to use:


```
fop -xml mydata.xml -xsl my2fo.xsl -pdf  
out.pdf
```



Ant Task


- Useful for generating documentation in a project
- Useful for batch processing

```
<target name="generate-multiple-pdf"  
    description="Generates multiple PDF files">  
    <fop format="application/pdf" outdir="{pdf.dir}">  
        <fileset dir="{fo.dir}">  
            <include name="*.fo"/>  
        </fileset>  
    </fop>  
</target>
```




Servlet

- Sample servlet included in the distribution
 - Don't use the sample servlet in production!
 - It's only a simple example and a starting point.
- Fast
- Guard against DoS attacks!
 - Restrict concurrency!
 - Be in control what gets rendered!




Embedding in Java

- For any custom integration work
- Requires Java knowledge (obviously)
- Requires JAXP knowledge
- FOP's API tries to reuse most of the basic JAXP Transformer usage pattern.
- Coupling XSLT and FOP using SAX
- Step-by-step example on the website!




Other Possibilities

- Apache Cocoon
 - May be a bit complicated at first but handles the whole transformation chain for you!
- Some have written WebServices
 - Return PDFs as attachments
- Working on a .NET integration for FOP (using IKVM)




Developing Documents

- Skills
- Approaches
- Tips
- Troubleshooting




Your Skills!

- Again XML, XSLT and XSL-FO!
- XSLT is a programming language, but it's not like Pascal or C or Java.
- The XSL specification is a complex beast but don't be afraid to look at it.



Approaches


- WYSIWYG or WYSINWIG Editors
 - Ideal for simple documents
- Structural Editors
 - Allows for more complex documents
- XSLT programming by hand
 - Full flexibility
- Mixed development
 - The best of both worlds
- Editing in non-FO formats (DocBook)



Experience


(This mostly applies to business docs only!)

- Many start with WYSIWYG Editors
- Many end up writing XSLT
- You may need to use both approaches.
- It all depends on your requirements and on the people doing the development.




A few tips

- Install GhostScript/GhostView
 - Displays and auto-reloads PDF/PS files
- Or open the PDF in the browser instead of directly in Acrobat Reader
 - File is not locked this way. Just press F5.
- Don't use the JDK's parser and XSLT implementation (too buggy)
 - “Endorsed standards override mechanism”




Endorsed Standards Override

- <http://java.sun.com/j2se/1.4.2/docs/guide/standards/>
- Download the latest Xerces-J and Xalan-J (or SAXON)
- Put the JAR files in the “endorsed” directory
 - JRE: <jre-home>/lib/endorsed
 - JDK: <jdk-home>/jre/lib/endorsed
- Or use “-Xbootclasspath/p:”




When writing XSLT...

- Make use of the “import” facility.
- Extract common templates into “library” stylesheets (address formatting, for example)
- Avoid “spaghetti code” and nested for-each.
- Use “attribute-sets” to define styles.
- Refactoring helps, even in XSLT
- Make use of FO's property inheritance




Identifying problems

- Split the transformation chain.
- Write the generated XSL-FO to a file.
 - “-foout” on the command-line
- Comment out portions of the XML/XSLT to narrow down the cause.
- You get line numbers if you feed FOP FO instead of XML+XSLT.




Problem in XSLT or FOP?

- Many people mix XSL transformation and FO processing in their brains.
 - Example: You don't have access to page numbers during XSLT!
 - That's what page-number(-citation) are here for. FOP fills in the page numbers later.
- Step 1: XSLT
- Step 2: FOP




Getting help

- Is your problem about XSLT or FOP?
- FOP website contains links to forums and mailing lists on XSLT
- “fop-users” mailing list helps you with Apache FOP.
- Be sure to check the FAQ and the mailing list archives first.



When asking for help...

- Post an example but don't send XSLT files! Send scaled-down FO files!
- Smart questions: quicker answers
- **ALWAYS** state:
 - FOP and Java version
 - Operating System
 - How you use FOP (command-line, servlet etc.)
 - Application server if applicable





Stuck? Need help?

Contact us by subscribing to
fop-users@xmlgraphics.apache.org


(To subscribe, send an empty mail to
fop-users-subscribe@xmlgraphics.apache.org)

(Forum-style access through GMane and Nabble.)





Questions?



Thank you!!!

Feedback? Comments? Suggestions?

*Help wanted in the
XML Graphics project!*

